AMENDMENTS TO THE CLAIMS

DI		41	-1-1		11	
Please	amend	the	claims	as to	llows:	

- 1-71. (Cancelled)
- 72. (Cancelled)
- 73. (Currently amended) The method of elaim 4claim 93, wherein the proneurotrophin is pro-NGF, pro-BDNF, pro-NT-3 or pro-NT-4/5.
 - 74. (Cancelled)
 - 75. (Cancelled)
 - (Cancelled)
 - 77. (Cancelled)
- 78. (Currently amended) The method of elaim 1-claim 93, wherein the antibody is directed against an extracellular part of the receptor.
 - (Cancelled)
 - 80. (Cancelled)
- 81. (Currently amended) The method of elaim 72 claim 93, wherein the injury or dysfunction is selected from the group consisting of: Alzheimer's disease, Parkinson's disease, Huntington's chorea, stroke, ALS, peripheral neuropathies. necrosis or loss of neurons, nerve damage aberrant sprouting in epilepsy, and schizophrenia, epilepsy, multiple sclerosis.

 Down's Syndrome, nerve deafness and Meniere's disease.
- 82. (Previously presented) The method of claim 81, wherein the nerve damage is due to trauma, kidney dysfunction, or the toxic effects of chemotherapeutics used to treat cancer or AIDS in the animal.
- 83. (Currently amended) The method of elaim 1claim 93, wherein the injury or dysfunction is selected from the group consisting of peripheral neuropathy, distal sensorimotor neuropathy, autonomic neuropathies and hereditary neuropathies.
- 84. (Currently amended) The method of elaim 72 claim 93, wherein the injury or dysfunction of the central or peripheral nervous system is depression or mania.
- 85. (Previously presented) The method of claim 83, wherein the injury or dysfunction is an autonomic neuropathy selected from the group consisting of reduced motility

Response to Final Office Action Application No. 10/539,443 Page 3

of the gastrointestinal tract, atony of the urinary bladder, post-polio syndrome, and AIDSassociated neuropathy.

- 86. (Previously presented) The method of claim 83, wherein the injury or dysfunction is a hereditary neuropathy selected from the group consisting of Charcot-Marie-Tooth disease, Refsum's disease, Abetalipoproteinemia, Tangier disease, Krabbe's disease, Metachromatic leukodystrophy, and Dejerine-Sottas syndrome.
 - 87. (Cancelled)
- 88. (Currently amended) The method of elaim 72 claim 93, wherein the injury or dysfunction is a motor neuron disorder.
- 89. (Previously presented) The method of claim 88 wherein the motor neuron disorder is selected from the group consisting of amyotrophic lateral sclerosis (Lou Gehrig's disease), Bell's palsy, and a condition involving spinal muscular atrophy or paralysis.
- 90. (Currently amended) The method of elaim-1 claim 93, wherein said antibody acts as a cognitive enhancer.
- 91. (Currently amended) The method of elaim 72 claim 93, wherein the agent is administered receptor is exposed to the antibody in an amount of from 1 µg/kg to about 100 mg/kg per day.
- (Previously presented) The method according to claim 91, wherein the proneurotrophin is selected from pro-NGF, pro-BDNF, pro-NT-3 or pro-NT-4/5.
- 93. (Previously presented) A method for inhibiting the binding of a proneurotrophin to a receptor of the Vps10p-domain receptor family in an animal, wherein the animal suffers from an injury or dysfunction of the central or peripheral nervous system, which comprises exposing said receptor to an inhibitorily effective amount of an antibody which binds such a receptor, and thereby inhibits the binding of a pro-neurotrophin to said receptor.
- 94. (Currently amended) The method of elaim 90 claim 93, wherein the animal is a human being.
- (Previously presented) The method of claim 93, wherein the Vps10pdomain receptor is selected from SorLA, Sortilin, SorCSI, SorCS2, or SorCS3.

Response to Final Office Action Application No. 10/539,443 Page 4

- 96. (Previously presented) The method of claim 93, wherein the receptor is sortilin.
- 97. (Previously presented) The method of claim 93, wherein the antibody binds to a peptide comprising amino acid residues 612-740 of SEQ ID NO:1.
- 98. (Previously presented) The method of claim 93, wherein the antibody binds to a peptide comprising amino acid residues 24-77 of SEQ ID NO:1.
 - 99. (Cancelled)
- 100. (Previously presented) The method of claim 93 in which the proneurotrophin is pro-NGF, the receptor is sortilin, and the animal is a human being.